

Sweet Corn Cultivar Trial — 2007

Vince Lawson, superintendent
Muscatine Island Research Farm, Fruitland, Iowa

Introduction

The 2007 sweet corn cultivar trial was conducted to identify cultivars with good ear characteristics for local marketing or short-distance shipping. This year's trial focused on the bi-colored, high-quality sh2 types, often referred to as augmented or improved sh2, that are reported to be exceptionally sweet and tender. These hybrids need isolation from other corn genetic types in the field and careful handling at harvest, but can provide the best combination of gourmet eating quality with shelf life that is available.

Materials and Methods

Planting

Trial planted on April 23, 2007, on a dark-colored loamy-sand soil type.

Plot Design

A randomized complete block design with three replications was used. Plots consisted of two rows, 25 feet long and row spacing was 30 inches. After emergence, plants were thinned to approximately eight inches apart and a uniform population of 28,000 plants per acre.

Fertility and Irrigation

Water was applied as needed by a center pivot irrigation system to supplement rainfall. Fertilizer applied preplant incorporated at a rate of 60 lbs./A nitrogen (N) and 100 lbs/A potassium (K₂O). After crop emergence, 45 lbs./A N (UAN) was sidedressed on May 21 and again on June 9.

Pest Control

Dual II Magnum, Atrazine 4L, and Callisto herbicides were applied crop preemergence. Fanfair insecticide was sprayed on a 3- to f4-day schedule once silking started.

Results and Discussion

After harvest, informal comparisons of kernel sweetness and tenderness were made between cultivars. Differences were noted but there aren't any really bad choices for eating quality in this group. Overall, considering ear appearance, ear size, kernel depth, husk cover, tip fill, and eating quality the following cultivars produced ears with superior quality: 274A, Mirai 334 BC, Mirai 301 BC, Fantastic, 277A, Mirai 350 BC, XTH 2281, and Obsession.

Cultivars are arranged by maturity, early-to-late, in the tables. 272A was the earliest maturing cultivar in the trial and had surprising seedling vigor and ear size for its maturity and genetic type. All cultivars produced acceptable yields except Fantastic and Mirai 308BC. Their poor yields might have been due to bad seed causing weak plant emergence. Fantastic showed excellent vigor and performance in 2005 and 2006 trials. XTH 2171, XTH 2281, Obsession, and BSS 0982 are new to the trial this year and performed well showing average to good seedling vigor, yield, and ear quality. BSS 0982 is an insect-protected (Bt) hybrid.

Table 1. *Sweet corn cultivar seed source and trial comments.*

Cultivar	Source*	Comments
272A	ST	Good plant vigor, yield, and ear quality for early maturing cultivar.
XTH 2171	ST	Long shanks and flag leaves, skinny ear, good eating quality, looked promising.
274A	ST	Strong plant and yield, good ear quality.
Optimum	CR	Seedling vigor can be weak, medium-sized ears were good quality.
Mirai 334BC	CE	Nice ears, tender and sweet, but tip fill could be a little better.
Mirai 308 BC	CE	Poor yield due to poor stand, ears tender and sweet.
Fantastic	ST	Excellent ear quality, poor yield due to bad seed this year?
Mirai 302BC	CE	Nice big ears, tip fill okay but could be better, some plant lodging noted.
Mirai 301BC	CE	Attractive and good eating ears, bad plant lodging and uneven ear maturity.
Triumph	ST	Attractive ears, sweet and tender kernels, severe plant lodging at harvest.
277A	ST	Some plant lodging, only fair husk cover and tip fill, short ear length but deep kernels tender and sweet – one of the best eating cultivars in trial.
Mirai 350BC	CE	Weak seedling vigor, uneven plant development, but some nice ears.
Mirai 336BC	CE	Uneven maturity, skinny ears, and shallow kernels.
XTH 2281	ST	First year of trialing, showed good characteristics, looked promising.
Obsession	SE	Strong plant and yield, a few small secondary ears in husk, crunchy sweet kernels.
BSS 0982	RG	Insect protected (Bt) hybrid, a lot of foliage, multiple ears, decent eating quality.
Holiday	CR	Big attractive ears had shallow kernels that were sweet and tender.
282A	ST	Poor seedling vigor but strong plant once established, multiple ears per plant.

*Source: CE=Centest, CR=Crookhams, RG=Rogers, ST=Stokes.

Table 2. *Sweet corn cultivar marketable yield and ear characteristics.*

Cultivar	DTH	Seedling Vigor Rating*	Dozen Ears/Acre	Yield (cwt/acre)	Husked Ear Wt. (lbs.)	Ear Length (inches)	Ear Diameter (inches)	Husk Cover	Tip Fill
272A	75	G	1,525	127.5	0.51	7.7	1.84	G	G
XTH 2171	77	G	1,392	112.7	0.47	7.7	1.72	G	G
274A	77	G	1,343	129.1	0.62	8.2	1.96	G	G
Optimum	77	F-G	1,198	92.1	0.45	7.4	1.74	G	G
Mirai 334BC	77	G	1,125	102.4	0.53	8.3	1.86	G	F-G
Mirai 308 BC	77	P	617	50.3	0.52	8.0	1.87	F-G	G
Fantastic	78	F	968	92.2	0.54	7.7	1.89	F-G	G
Mirai 302BC	80	F	1,476	139.5	0.59	8.5	1.94	G	F-G
Mirai 301BC	80	F	1,319	120.1	0.57	8.0	1.94	G	G
Triumph	80	G	1,246	113.7	0.56	7.7	1.89	F	G
277A	80	F	1,162	91.5	0.50	7.3	1.81	F	F
Mirai 350BC	81	F	1,331	116.2	0.50	7.8	1.83	G	G
Mirai 336BC	81	F	1,174	106.1	0.50	8.4	1.72	G	F-G

*Seedling Vigor: based on plant size four weeks after planting: G=good, F=fair, P=poor.

Continued on next page

Table 2 (continued)

Cultivar	DTH	Seedling Vigor Rating*	Dozen Ears/Acre	Yield (cwt/acre)	Husked Ear Wt. (lbs.)	Ear Length (inches)	Ear Diameter (inches)	Husk Cover	Tip Fill
XTH 2281	83	G	1,573	152.5	0.54	7.8	1.89	G	G
Obsession	84	F-G	1,585	166.0	0.56	8.3	1.87	F-G	G
BSS 0982	84	G	1,331	137.8	0.57	8.3	1.89	G	G
Holiday	84	F	1,319	132.1	0.56	8.3	1.90	G	G
282A	86	P-F	1,113	116.3	0.53	7.8	1.92	G	G
Average			1,266	116.6	0.54	7.9	1.86		
LSD 5%			256	26.9					

*Seedling Vigor: based on plant size four weeks after planting: G=good, F=fair, P=poor.