

**PREHARVEST INTERVALS (DAYS) AND RE-ENTRY INTERVALS FOR FUNGICIDES  
REGISTERED FOR USE ON MIDWEST VEGETABLES IN 2003\***

	Acibenzolar-S-methyl	Azoxystrobin	Chlorothalonil	Fixed Copper	Fosetyl Aluminum	Harpin	Iprodione	Mancozeb	Maneb	Mefenoxam	Myclobutamil	Pyraclostrobin	Thiophanate methyl	Trifloxystrobin	Triflumizole	Triphenyltin Hydroxide	Ziram
<b>Asparagus</b>																	
Phytophthora					110					1							
Rust			190					180									
<b>Beans, Snap</b>																	
Bacterial blight				0													
Rust			7								0						
White mold/ gray mold							0						14				
<b>Broccoli, Cabbage, Cauliflower</b>																	
Alternaria leafspot			0						7								
Black leg							0										
Black rot				0													
Downy mildew			0		3				7	7							
<b>Carrot</b>																	
Alternaria leafspot		0	0				0					0					
Cercospora leafspot		0	0									0					
<b>Cucumber, Muskmelon, Watermelon</b>																	
Alternaria leaf blight		1	0					5				0					
Angular leafspot				0													
Anthracnose		1	0					5				0	0				
Bacterial fruit blotch				0													
Downy mildew		1	0		1/2			5		0		0		0			
Gummy stem blight		1	0					5				0	0				
Powdery mildew		1	0								0	0	0	0	0		
<b>Onion, Dry bulb</b>																	
Botrytis (blast), purple leaf blotch		0	7		7		7	7	7			7					
Downy mildew		0	7		7			7		7		7					
<b>Onion, Green bunching</b>																	
Botrytis (blast), purple leaf blotch		0	14						7			7					
Downy mildew		0	14						7	7		7					
Re-entry levels (REI) in hours	12	4	12	24	12	4	24	24	24	48	24	12	12	12	12	48	48

\*Check label directions before applying any of these pesticides.

**PREHARVEST INTERVALS (DAYS) AND RE-ENTRY INTERVALS FOR FUNGICIDES  
REGISTERED FOR USE ON MIDWEST VEGETABLES IN 2003\***

	Acibenzolar-S-methyl	Azoxystrobin	Chlorothalonil	Fixed Copper	Fosetyl Aluminum	Harpin	Iprodione	Mancozeb	Maneb	Mefenoxam	Myclobutanil	Pyraclostrobin	Thiophanate methyl	Trifloxystrobin	Triflumizole	Triphenyltin Hydroxide	Ziram
<b>Pepper</b>																	
Anthracnose		0							7			0		3			
Bacterial spot				0													
Phytophthora blight									7	0							
<b>Potato</b>																	
Early blight		14	7				14	14	14			3		7			7
Late blight		14	7					14	14	14		3		7			7
<b>Summer Squash</b>																	
Downy mildew		1	0		1/2			5	5	0		0		0			
Powdery mildew		1	0								0	0	0	0	0		
<b>Pumpkin, Winter Squash</b>																	
Bacterial leafspot				0													
Black rot		0	0						5			0	0				
Downy mildew		0	0		1/2					0		0		0			
Powdery mildew		0	0								0	0	0	0	0		
<b>Sweet Corn</b>																	
Northern leaf blight		7						7	7								
Rust		7						7	7								
<b>Tomato</b>																	
Anthracnose		0	0					5	5			0		3			7
Bacterial speck, spot	14			0		14											
Buckeye rot		0								28							
Early blight Septoria leafspot		0	0					5	5			0		3			7
Late blight		0	0					5	5	0				3			
Phytophthora blight			0		14					14							
Powdery mildew		0									0						
Re-entry levels (REI) in hours	12	4	12	24	12	4	24	24	24	48	24	12	12	12	12	48	48

\*Check label directions before applying any of these pesticides.